Byggvarubedömningen's guideline and information requirements for assessment of product, Version 2016-1.

These guidelines describe what information that Byggvarubedömningen requires for assessment of articles and chemical products. Information about the article or chemical product can be provided in this document, alternatively refer to another documentation in which the corresponding information is given.

1. Product information

Product

Product name:	Victaulic Ductile Iron Couplings			
Article No.: Specify the type of number, for example RSK, E number, EAN, GTIN or supplier's article number. This should also be stated on the application.	GALVANIZED COUPLINGS: Style 009N; Style 005H; Style 07; Style 75; Style 750; Style 77; Style 89; Style 99; Style 107N; Style 177N; Style E497 MECHANICAL TEES: Style			
Product description:				
On application, please attach a product data sheet or similar documentation.				
Type of product:	☐ Chemical product	□ x Article		
Date (year, month, day) of preparation/revision:				
Supplier/Manufacturer				
Supplier:	Victaulic Europe BVBA Prijkelstraat	36 B-9810 NAZARETH BELGIUM		
Manufacturer if other than the supplier:				
Voluntary information				
Supplier contact:	Rik Ghysel			
Address:	Prijkelstraat 36 B-9810 NAZARETH	BELGIUM		
E-mail:	Rik.ghysel@victaulic.com			
Phone number:	00 32 9 381 1536			
Supporting documentation				
Has a declaration of performance, in line with the Swedish Construction Products Regulation, been prepared for the product?	□X Yes	□ No		
If yes, attach the declaration of performance	ce with the application			
Is the article/product an electronic product and covered by the RoHS-directive (2011/65/EU)?	□ x Yes See declaration			
If yes, attach an "EU Declaration of Confort to the requirements according to the RoHS	mity", or alternatively another certific directive (2011/65/EU), together wit	rate that attests that the product corresponds the application		
If the article/product is an electronic product that is covered by an exemption according to RoHS-directive (2011/65/EU), specify which exemption and date (year, month, day) when the exemption expires if time-limited:	Exemptions according to RoHS: Date:			

2. Declaration of contents:

Does the product or any of its subcomponents, if it is a composite product, contain substances with particularly hazardous properties (Substances of Very High Concern, SVHC-substances), which are included in the Candidate List at a concentration above 0.1 weight%?	☐ Yes	□ x No See REACH declaration
If yes, specify which substances in Table 1.		
State the date (year, month, day) for control the Candidate List.	Date: June 20 th 2016	
The concentration is calculated at component level established	on the principle "once a produc	t, always a product" principle.
The Candidate List is available at: http://echa.europa.eu/sv/ca	ndidate-list-table.	

Specify the total content of the article or the chemical product, **on delivery**, in Table 1, or alternatively attach other documentation that provides the corresponding information. For instructions, please refer to the "Declaration of contents, BVB's declaration requirements, 2016-1", which is found at the end of this document.

Table 1, Contents of included substances and material (declaration of content in accordance with requirements)

Included substances and material	EG	Weight%	When	Weight%	Comments
	No./CAS No. (alternatively alloy)	(of entire product)	applicable, state for which subcomponent	(of substance in subcomponent)	(state eventual application of non harmonized classifications)
Ductile Iron	ASTM A536 grade 65- 45-12	91	Coupling halves		
Carbon steel	ASTM A- 449- & A- 183	6	Bolts and nuts		
Rubber epdm grade E, A, EHP, EF; Nitrile rubber		3	Gasket		
Are all substances reported in percentages	down to 0.01%	o ☐ Yes		☐ X No	
Are all substances reported in percentages in Table 1? (enable assessment with regard to the Recomme		o ☐ Yes		☐ X No	
in Table 1?	ended level) is for the Accep contents, BVB's	ted Yes		☐ X No	

If the chemical composition differs after application, then the content of the applied product is given in Table 2. This applies to chemical products. If the content is unchanged, no information needs to be provided in the table.

Table 2, Contents for applied products (full content in accordance with declaration requirements)

Included substances and material	EG No./CAS No.	Weight% (of the applied product)	Comments (state any application of non-harmonized classifications)
See at the email			

If any deviations from BVB's reporting requirements exist, specify these in the comments in Table 2, or alternatively here.		Other comments:				
Nanomaterial						
Does the product contain any nanomaterial that has been purposefully added to achieve a specific function? Information regarding whether nanomaterial has been added to achieve a specific function must be stated, but has no impact on the			☐ Yes		□Х №	
If yes, specify the materia	al.		Material:			
3. Recycled ra	w material		1			
Does the product contain	recycled material?		□X Yes		□ No	
If yes, fill in Table 3.				EW PER DESIGNATION		Sufficiency and the
Fable 3, Recycled mat	Percentage (%) of the total product's weight		d material that has of the recycled the consumer level, reached the con- ction waste, etc. (post-consumer		aterial that has	Comments
Ductile Iron	91			89		
f wood raw material is	s included					
Can the product be ordere for the wood raw material			☐ Yes		□ No	
Explain if the certificate do	oes not cover all of	the wood raw ma	aterial:			
If yes, attach a certificate/application.	assurance that the	product can be o	ordered with a	sustainability certi	ficate togethe	r with the
If no, state the country where the wood raw material was harvested.		Country of harvest:				
Is the wood species or origin in the CITES appendix for endangered species?			☐ Yes ☐ No			
4. The product	ion phase					
Has an Environmental Product Declaration (EPD) been prepared?			☐ Yes ☐ xNo			
If yes, enclose the EPD (Enapplication.	nvironmental Produ	ict Declaration) or	r other enviror	mental product de	eclaration toge	ther with the

5. Distribution of the completed product

Describe the management of packaging for the distribution of the product	Description of the packaging: Products are packed in wooder pallets and/or cardboard.			e packed in wooden
State whether any system for taking back or recycling packaging or any other specific return system is used.				
Specify the packaging material used and which system of producer responsibility for packaging the supplier is affiliated to.	Packages are not taken back, they can be recycled.			
Enter the proportion of recycled material, if any, included in the packaging.				
Other information:				- TI
6. Construction and usage phase				
Are there any special requirements such as storage conditions etc. for the product during storage?	☐ X Yes		□ No	
If yes, describe: Room temperature, dry, out of sunlight		4		
Are there any special requirements for adjacent building products because of this product?	☐ Yes		☐ X No	
If yes, describe:				
Are there any operating/care instructions for the product?	☐ X Yes		□ No	
If yes, attach the documentation with the application. Please of http://www.victaulic.com/en/search/?keyword=i-100	download the I-100 ma	anual:		
Is the product energy labelled in accordance with the Energy Labelling Directive (2010/30/EU)?	☐ Yes	□ No		☐ X Not relevant
If yes, state class (G to A, A+, A++, A+++):	Class:			I
				2000
7. Waste management				
Does the product require special measures to protect health	☐ Yes		□ X No	
and the environment in conjunction with demolition/dismantling?	L les		L X NO	
If yes, describe:			L.	
To the product covered by the WEEE directive 2012/10/ELL				
Is the product covered by the WEEE-directive 2012/19/EU (Swedish ordinance (2014:1075) on Producer Responsibility	☐ Yes		☐ No No relevant	
for electrical and electronic products when it becomes waste?				
Is it possible to re-use all or parts of the product? (can the product be reused within the product's expected lifetime)?	□X Yes		□ No	
If yes, describe: couplings halves, bolts and nuts can be reuse	d, gasket also but we	advise to in	stall a new	gasket
Is material recycling possible for all or parts of the product when it becomes waste?	☐ X Yes		□ No	
If yes, describe: Yes except for the rubber gasket			3.00	
Is energy recycling possible for all or parts of the product when it becomes waste?	☐ Yes	14	☐ X No	
Does the supplier have any restrictions and recommendations for reuse, material- or energy recycling or disposal?	☐ Yes		☐ X No	
If yes, specify which:			74 (450 -	VW-00-047-11

When the supplied product becomes waste, is it classified as hazardous waste?	☐ Yes	☐ X No
If yes, specify the waste code:	Waste code: 170405	
The Swedish waste ordinance (2011:927)		
https://www.notisum.se/rnp/sls/lag/20110927.htm		
8. Indoor environment		
Has the product a critical moisture condition:	☐ Yes	☐ X No
Information regarding whether critical moisture conditions leading to microbial growth apply for the material/product should be stated, but will not impact the assessment.		
If yes, specify which:		
Is the product intended for use indoors?	☐ X Yes	□ No
If yes, has emission data been produced for volatile organic compounds?	☐ Yes	☐ X No
If yes, attach the report/certificate together with the application	on .	
If no, is there any motivation for why emission data for volatile organic compounds is not relevant for the product?	Motivation: . After painting cou there are no more VOC at the p	
Is the product a chemical product intended for indoor use?	☐ Yes	☐ X No
If yes, has emission data been produced for volatile organic compounds?	☐ Yes	□ No
If yes, attach the report/certificate together with the application	n.	
If no, is there any motivation for why emission data for volatile organic compounds is not relevant for the product?	Motivation:	

Certificate of substance content and concentrations version. 4.0

This certificate is required for the Recommended assessment level for chemical contents. This page should be printed to be signed and uploaded separately in PDF-format in connection with the application.

Certificate of declaration of substance content

THE RESERVE AND ADDRESS.		cified below, with their stated article numbers, the following is certified: certify alternative A or B.
		It is hereby certified that concentrations of the included substances down to 0.01 weight% have been reported, and that cadmium and mercury do not occur in the product.
А		or:
		The substances included are reported in line with the instructions for the Declaration of Contents, BVB's reporting requirements 2016-1, and correspond to the reporting requirements for the Recommended level.
		It is hereby certified that concentrations of the included substances down to 0.1 weight% have been reported, and that cadmium and mercury do not occur in the product.
В	Χ□	or:
		The substances included are reported in line with the instructions for the Declaration of Contents, BVB's reporting requirements 2016-1, and correspond to the reporting requirements for the Accepted level.
		ecified below, with their stated article numbers, the following is certified: pertify alternative C or D.
С	х□	It is hereby certified that the specified product/s do not contain specifically indicated substances and groups of substances in accordance with Table 4, Specifically indicated substances. These have not been added during production and have not been formed through reactions between the substances in the product.
D		Unfortunately, we have to notify that the specified products contain specifically indicated substances in accordance with Table 4, Specifically indicated substances. Some of these substances have been added or been formed during reaction between the substances in the product, please see the Declaration of Contents.

Table 4, Specifically indicated substances

Substance group/Substance	Examples of properties
1. Arsenic and its compounds ¹	Toxic, Environmentally hazardous
2. Brominated flame retardants	Potentially PBT/vPvB, PBT/vPvB
3. PFOA (perfluorooctanioic acid)	Persistent, bioaccumulative, probable reproductive toxicity
4. PFOS (perfluorooctanesulfonates)	Potentially PBT/vPvB, PBT/vPvB
5. Organotin compounds	Potentially PBT/vPvB, PBT/vPvB, Toxic, Environmentally hazardous
6. Biocidal product applied on products (surface treatments) to provide a disinfectant or anti-bacterial effect.	Toxic, Environmentally hazardous

Product identification: (designation and article number)	See at the top of this document
State reference (name and version/date) that contains the actual Declaration of Contents:	
Person responsible for making declaration:	Rik Ghysel
Signature:	Galvanize without any Cadmium, Arsenic is not commercially available. Galvanize may contain mercury as well but it's not detailed at the attached 3.1 certificate

¹ Arsenic, or arsenic compounds, are not permitted to be added to the product. Contamination of used raw materials is not permitted to exceed 10 mg/kg. The concentration limit is set based on regulatory requirements for soil quality to ensure that accepted products do not raise background concentrations through their use or disposal (for example; sludge from sewage treatment works Swedish Ordinance 1998:944, Section 20). The same concentration limits are found in the Swedish Environmental Protection Agency's general guidelines for less sensitive land use (MKM).

Place and date (year, month, day):

2016 October 14

Declaration of contents, BVB's declaration requirements, 2016-1

A complete declaration of contents in accordance with the instructions should be made for both products and chemical products. For products, minimum concentrations have to be reported as a weight% for the entire product. The contents can be provided in other documentation, if the reporting instructions are complied with, or alternatively supplemented so that they are in compliance. Reporting requirements for the Accepted level correspond to the requirements for "e-BVD2015".

For the Accepted and Recommended levels, classified substances are needed to be reported in the documentation if concentrations exceed limits (weight%) in accordance with *Table 5, Classified substances*. Those substances that are not included in Table 5 must be reported when concentrations of $\geq 2\%$ occur.

Material and substance contains can be provided in intervals. Examples of accepted intervals are: $\leq 1\%$, 1-2.5%, 2.5-10%, 10-25%, 25-50%, 50-75%, 75-100%. In occasion of large intervals, state the reason for the variance and describe what materials/substances increase or decrease in proportion if the product, for example, comes in different sizes.

If classification is applied that is not covered by harmonized classification, this information requires to be reported in the comments column for that substance.

Table 5, Classified substances

Hazard class	Reporting limit		
	Accepted	Recommended	
Carcinogenic categories 1A and 1B (H350)	≥ 0.1%	≥ 0.01%	
Carcinogenic category 2 (H351)	≥ 1%	≥ 0.1%	
Mutagenic categories 1A and 1B (H340)	≥ 0.1%	≥ 0.01%	
Mutagenic category 2 (H341)	≥ 1%	≥ 0.1%	
Reproductive toxicity, categories 1A and 1B (H360)	≥ 0.3%	≥ 0.03%	
Reproductive toxicity, category 2 (H361)	≥ 2%	≥ 0.3%	
Reproductive toxicity effects on or through breastfeeding (H362)	≥ 0.3%	≥ 0.03%	
Endocrine disruptors 1, 2	≥ 0.1%	≥ 0.01%	
PBT and/or vPvB ³	≥ 0.1%	≥ 0.01%	
Skin sensitizers (H317)	≥ 1%	≥ 0.1%	
Respiratory sensitizers (H334)	≥ 0.2%	≥ 0.02%	
Hazardous to aquatic environments, chronic category 1 (H410)	≥ 2%	≥ 0.02%	
Ozone depleting substances (EUH 059 and H420)	≥ 0.1%	≥ 0.23%	
Acute toxicity category 1 (H300, H310, H330, H301, H311 and/or H331)	≥ 0.1%	≥ 0.01%	
Acute toxicity category 2 (H300, H310, H330, H301, H311 and/or H331)	≥ 1%	≥ 0.01%	
Acute toxicity category 3 (H300, H310, H330, H301, H311 and/or H331)	≥ 2%	≥ 1%	
Pure or compounds of cadmium (Cd)	≥ 0.01%	≥ 0.001%	
Pure or compounds of lead (Pb)	≥ 0.1%	≥ 0.001%	
Pure or compounds of mercury (Hg)	Contamination ≥ 2.5 mg/kg (ppm) of active additives must always be reported.		
¹ Endocrine disruptors (EDS list)	≥ 0.1%	≥ 0.01%	
² Endocrine disruptors (SIN list)		≥ 0.01%	
³ PBT, vPvB (SIN list)	≥ 0.1%	≥ 0.01%	
Candidate List	≥0.1%*	≥ 0.01%	
Other classifications or unclassified substances and material	≥ 2%	≥ 2%	

^{*}Substances on the Candidate List have to be reported at component level.

Descriptions of material

Substances should be reported with their CAS- or EC number. Exemptions for certain material can be performed in accordance with the following instructions.

Metals should always be reported together with their alloy number. Alternatively, substances comprising more than 0.01% of the alloy has to be specified in the documentation.

Plastics and rubber materials should be reported together with their name so that it is clearly which monomers that are included, for example, acrylonitrile butadiene styrene (ABS), polyethylene (PE), etc. Additives that have not formed polymers should always be reported in accordance with Table 5 (for example pigments, plasticizers, stabilizers, etc.). BVB always requires that compounds used as plasticizers is declared for PVC plastics ($\geq 2\%$).

Plastics/polymers with descriptions in line with the following list are accepted without specification of monomers.

- Polycarbonate (pertains to bisphenol A based polycarbonates)
- Polyester (monomers must be specified for halogenated polyesters)
- Polyurethane (monomers must be specified for halogenated polyurethanes)
- Fiberglass reinforced epoxy resin laminates FR4 (pertains to tetrabromobisphenol A based polymers)

Other materials with the following descriptions are accepted without clarification or detailed description of their components as the materials normally consist of:

- Glass
- Concrete

Examples of designations of plastics/polymers and other material descriptions that require further clarification are:

- Dispersion polymerization
- Copolymer
- Thermoplastic elastomers (TPE)
- Thermoplastics
- MS polymers
- Mineral fillers

References can be given for composite products to other products (subcomponents) that have been assessed in BVB's system and which have been provided with a BVB ID.

Complex products can be referred to another product (subcomponent), which are estimated in BVB's systems and provided with BVB ID.