


Kamlock hankoppling med invändig BSPP-gänga

Uppfyller kraven i standard MIL A-A-59326A
Rostfritt stål AISI 316

TYP A




Storlek	A	B	C
1/2"	26	37	16,5
3/4"	31	35	23
1"	38	40	27
1 1/4"	48	50	34
1 1/2"	56	51	43
2"	66	56	52
2 1/2"	80	73	60
3"	94	67	76
4"	122	67	103
5"	153	81	129
6"	181	84	155

Kamlock honkoppling med utvändig BSPT-gänga

Uppfyller kraven i standard MIL A-A-59326A
Rostfritt stål AISI 316

TYP B




Storlek	A	B	C
1/2"	14	44	28
3/4"	20	45	29
1"	26	55	36
1 1/4"	34	64	44
1 1/2"	39	68	44
2"	51	72	48
2 1/2"	63	84	52
3"	75	86	53
4"	102	87	54
5"	126	98	58
6"	152	106	67

Kamlock honkoppling med spårad slangsockel

Uppfyller kraven i standard MIL A-A-59326A
Rostfritt stål AISI 316

TYP C




Storlek	A	B	D	E
1/2"	8	71	14	29
3/4"	14	80	20	30
1"	20	94	27	36
1 1/4"	26	105	33,5	43
1 1/2"	34	109	40	44
2"	46	125	53	49
2 1/2"	60	135	67	53
3"	70	145	78	53
4"	92	160	104	53
5" ***	121	174	132	61
6" ***	146	191	155	67

*** endast två spår / only two grooves

Kamlock honkoppling med invändig BSPP-gänga

Uppfyller kraven i standard MIL A-A-59326A
Rostfritt stål AISI 316

TYP D




Storlek	A	B	E
1/2"	26	43	29
3/4"	30	45	30
1"	34	55	36
1 1/4"	45	64	44
1 1/2"	52	64	44
2"	63	71	49*
2 1/2"	80	80	53
3"	93	83	53
4"	121	85	55
5"	153	102	61
6"	182	114	70

Kamlock hankoppling med spårad slangsockel

Uppfyller kraven i standard MIL A-A-59326A
Rostfritt stål AISI 316

TYP E




Storlek	A	B	C	D	E	F
1/2"	8	75	24	14	25	33
3/4"	14	85	32	20	26	42
1"	20	101	37	27	32	49
1 1/4"	26	112	45	33	38	52
1 1/2"	34	116	53	40	38	55
2"	46	137	63	53	46	66
2 1/2"	60	145	76	67	46	70
3"	70	155	91	78	47	78
4"	92	170	120	103	44	91
5" ***	121	170	145	132	58	112
6" ***	146	184	176	157	60	124

*** endast två spår / only two grooves

Kamlock hankoppling med utvändig BSPT-gänga

Uppfyller kraven i standard MIL A-A-59326A
Rostfritt stål AISI 316

TYP F




Storlek	A	B	C	E
1/2"	15	44	26	25
3/4"	21	46	34	25
1"	27	56	39	31
1 1/4"	35	67	47	38
1 1/2"	40	71	56	39
2"	52	76,5	65,5	43
2 1/2"	66	84	78	47
3"	80	90	94	49
4"	105	93	122	50
5"	127	114	148	55
6"	155	119	178	60

Kamlock dammskydd

Uppfyller kraven i standard MIL A-A-59326A
Rostfritt stål AISI 316

TYP DC




Storlek	A	B
1/2"	29	36
3/4"	30	43
1"	36	50
1 1/4"	44	60
1 1/2"	44	60
2"	48	66
2 1/2"	52	66
3"	53	71
4"	53	75
5"	58	80
6"	70	95

Kamlock-plugg

Uppfyller kraven i standard MIL A-A-59326A
Rostfritt stål AISI 316

TYP DP



Storlek	B	E
1/2"	25	34
3/4"	25	40
1"	27	45
1 1/4"	38	55
1 1/2"	38	55
2"	45	62
2 1/2"	47	62
3"	43	62
4"	44	66
5"	80	55
6"	88	62